

# SAFETY DATA SHEET

Page : 1

Revised edition no : 1

Date : 27 / 4 / 2007

Supersedes : 0 / 0 / 0

## RUBIO MONOCOAT OIL UV

**M044**

Xi : Irritant

### Producer

MUYLLE FACON NV/SA  
Industriezone Abele  
Ambachtenstraat 58  
8870 Izegem Belgie-Belgique  
Tel. : 0032 51 30 80 54  
Fax. : 0032 51 30 99 78

## 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

**Identification of the product** : RUBIO MONOCOAT OIL UV  
**Type of product** : Natural wax-oil for wood.  
**Use** : Professional users. See product bulletin for detailed information.  
**Emergency phone nr** : UK : 0044 870 600 6266

## 2. COMPOSITION / INFORMATION ON INGREDIENTS

Volatile organic compounds (2004/42/CE, 1999/13/CE) : < 50 g/l.

This product is considered to be hazardous and contains hazardous components (Directive 67/548/EEC).

Substance name	Contents	CAS No	EC No	Index No	Classification
White spirit	< 5 %	CONFIDENTIAL	----	----	Xn; N; R10, R51/53 R65, R66, R67
Amine acrylate	< 2 %	-	AUTOCLASSIF.	-	Xi; R36/38
Soybean oil, epoxidized, acrylate	35-50 %	91722-14-4	294-415-6	AUTOCLASSIF.	Xi; R36/38

## 3. HAZARDS IDENTIFICATION

**Risk Phrases** : Harmful : may cause lung damage if swallowed.  
Irritating to eyes and skin.

**Primary route of exposure** : Inhalation.

**Symptoms relating to use** : Seek medical attention if ill effect develops.

**- Inhalation** : Not expected to present a significant inhalation hazard under anticipated conditions of normal use.

**- Skin contact** : Repeated exposure may cause skin dryness or cracking.  
Repeated exposure to this material can result in absorption through skin causing significant health hazard.

**- Eye contact** : May cause destruction of eye tissue.

**- Ingestion** : Abdominal pain, nausea.  
Severe ingestion hazard.

**Note** : This product is considered to be hazardous and contains hazardous components ( Directive 1999/45/EC).

## 4. FIRST AID MEASURES

**First aid measures**

**- Inhalation** : Assure fresh air breathing.

**- Skin contact** : Wash skin with mild soap and water.

**- Eye contact** : Rinse immediately with plenty of water. Seek medical attention if irritation develops.

**- Ingestion** : DO NOT INDUCE VOMITING. Seek medical advice (show the label where

### MUYLLE FACON NV/SA

Industriezone Abele Ambachtenstraat 58 8870 Izegem Belgie-Belgique  
Tel. : 0032 51 30 80 54 - Fax. : 0032 51 30 99 78

# SAFETY DATA SHEET

Page : 2

Revised edition no : 1

Date : 27 / 4 / 2007

Supersedes : 0 / 0 / 0

## RUBIO MONOCOAT OIL UV

**M044**

### 4. FIRST AID MEASURES (continued)

possible).

### 5. FIRE-FIGHTING MEASURES

**Prevention****Extinguishing media** : Dry chemical. Foam. Carbon dioxide.**Specific hazards** : Incomplete combustion will generate poisonous carbon monoxide, carbon dioxide and other toxic gases.**Protection against fire** : Use water spray or fog for cooling exposed containers. Do not enter fire area without proper protective equipment, including respiratory protection.**Special procedures** : Avoid (reject) fire-fighting water to enter environment.

### 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions** : Equip cleanup crew with proper protection.**Environmental precautions** : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.**Clean up methods** : Clean up any spills as soon as possible, using an absorbent material to collect it. Use suitable disposal containers.

### 7. HANDLING AND STORAGE

**Precautions in handling and storage** : Provide local exhaust or general room ventilation.**Storage** : Store in tightly closed, properly ventilated containers away from heat, sparks, open flame.  
Protect from freezing.**Handling** : Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and when leaving work.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Personal protection****- Respiratory protection** : Where exposure through inhalation may occur from use, approved respiratory protection equipment is recommended (A2P2).**- Hand protection** : Wear suitable gloves resistant to chemical penetration (EN 374).**- Skin protection** : If skin contact or contamination of clothing is likely, protective clothing should be worn.**- Eye protection** : Chemical goggles or safety glasses.**- Ingestion** : When using, do not eat, drink or smoke.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

**Physical state at 20 °C** : Liquid.**Odour** : Natural oil.**Boiling point [°C]** : 257 °C**Density [kg/m<sup>3</sup>]** : 0.95 - 1.3**Vapour pressure [20°C]** : 0,04 hPa**Viscosity** : ca. 60 sec (cup iso 4) 20°C**Flash point [°C]** : 102 °C**Volatile organic compounds :** : < 50 g/l

#### MUYLLE FACON NV/SA

Industriezone Abele Ambachtenstraat 58 8870 Izegem Belgie-Belgique

Tel. : 0032 51 30 80 54 - Fax. : 0032 51 30 99 78

# SAFETY DATA SHEET

Page : 3

Revised edition no : 1

Date : 27 / 4 / 2007

Supersedes : 0 / 0 / 0

## RUBIO MONOCOAT OIL UV

**M044**

### 10. STABILITY AND REACTIVITY

**Hazardous decomposition products** : Stable under recommended storage and handling conditions (see section 7).  
When exposed to high temperatures may produce hazardous decomposition products such as carbon monoxide and dioxide, smoke, oxides of nitrogen etc..  
Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

### 11. TOXICOLOGICAL INFORMATION

**Toxicity information** : This product is considered to be hazardous and contains hazardous components ( Directive 1999/45/EC).

### 12. ECOLOGICAL INFORMATION

**Ecological effects information** : There are no data available on the preparation itself.  
The product should not be allowed to enter drains or water courses.

### 13. DISPOSAL CONSIDERATIONS

**General** : Avoid release to the environment.  
Dispose in a safe manner in accordance with local/national regulations.

### 14. TRANSPORT INFORMATION

**ADR/RID** : Not applicable.  
**- IMO-IMDG code** : Not applicable.  
**- ICAO/IATA** : Not applicable.

### 15. REGULATORY INFORMATION

**Symbol(s)** : Irritant.  
**R Phrase(s)** : R36/38 : Irritating to eyes and skin.  
R65 : Harmful : may cause lung damage if swallowed.  
**S Phrase(s)** : S24 : Avoid contact with skin.  
S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
S35 : This material and its container must be disposed of in a safe way.  
S51 : Use only in well-ventilated areas.  
S62 : If swallowed, do not induce vomiting : seek medical advice immediately and show this container or label.

### 16. OTHER INFORMATION

**Further information** : Specifications and technical informations on the product may be obtained from your supplier.  
**R-phrases not concerned by the classification of the product** : R66 : Repeated exposure may cause skin dryness or cracking.

The contents and format of this SDS are in accordance with Directive 91/155/EEC and its amendments, (93/112/EEC and 2001/58/EC).

**DISCLAIMER OF LIABILITY** The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

#### MUYLLE FACON NV/SA

Industriezone Abele Ambachtenstraat 58 8870 Izegem Belgie-Belgique  
Tel. : 0032 51 30 80 54 - Fax. : 0032 51 30 99 78

	<b>SAFETY DATA SHEET</b>	Page : 4
		Revised edition no : 1
		Date : 27 / 4 / 2007
		Supersedes : 0 / 0 / 0
<b>RUBIO MONOCOAT OIL UV</b>		<b>M044</b>

---

End of document

---

**MUYLLE FACON NV/SA**

Industriezone Abele Ambachtenstraat 58 8870 Izegem Belgie-Belgique  
Tel. : 0032 51 30 80 54 - Fax. : 0032 51 30 99 78